

# PAPILIO PANTHOUS?

VAR.

\*\*\*\*\*

## CHARACTER GENERICUS.

*Antennæ* apicem versus crassiores, sæpius clavato-capitatae.

*Alæ* (sedentis) erectæ sursumque conniventes (volatu diurno.)

*Lin. Syst. Nat.* p. 744.

## CHARACTER SPECIFICUS, &c.

PAPILIO alis dentatis nigris concoloribus; primoribus albo maculatis; posticis maculis albis nigra fœtis.

*Lin. Syst. Nat.* p. 748.

*Eq. Tr.*

*Var.* alis superioribus immaculatis, inferioribus flavo tinctis.

---

Papilionem Panthoum in maximis papilionacei generis numerandum primo opinor fuisse a Seba depictum. Colores videntur non esse omnino certi, sed paululum mutabiles. Fit enim interdum ut nonnullorum speciminum alæ inferiores subflavo tingantur, qui aliis nullus est; et ut alarum superiorum subfuscus color saturatior longe sit quam contigit papilioni quem depinximus.







# PANTHOUS ?

VAR.



## GENERIC CHARACTER.

*Antennæ* thickening towards the point into a clavated tip.

*Wings* (when at rest) meeting upwards. (Flight diurnal.)

## SPECIFIC CHARACTER, &c.

BUTTERFLY with dentated black wings, of similar colors on both surfaces; the upper wings spotted with white, the lower marked with white spots including black ones.

*Var.* with the upper wings not spotted, and the lower ones tinged with yellow.

---

The *Papilio Panthous*, one of the largest of the Butterfly tribe, seems to have been first figured by Seba. In its colors it appears to vary considerably; some specimens exhibiting a tinge of yellow in the lower wings which is not to be seen in others; and the brown on the upper wings is in some far deeper than in the specimen here represented.